



00000

Eaton EATS16N

00 ATS 00 PDU0Netpack01U000 (2) C20000
3.84 kW016A0200-240V000 8XC13:1XC19

0000	
0000	Eaton ATS PDU
0000	EATS16N
UPC	743172079411
0000/00	430 mm
0000	43 mm
0000	250 mm
0000	3.54 kg
00	CE 00
00	CE

0000

- 00
- 0 IT 00000000
 - 0000000000000000000000
 - 000001U 0000
 - 00000000
 - 0000
 - 0000000000000000000000

00	ATS
0000	1U
0000	0

- 0000
- ATS
 - 0000000
 - 0000
 - (2) 00000C19-C20
 - 1.8m
 - (2) 000000000
 - 0000000000000000
 - RS-232 0000
 - 00000000 DB9/RJ45
 - 00
 - 0000000

00/0000	0° 0 40°C032° 0 104°F0
0000	00
00	00
0000	(2) C20
00	2m
00	3.84 kW max
0000	16A
0000	200-240V
00	00
0000	50/60 Hz
00	(8) C130(1) C19
C13 0000	8
C19 0000	1
C20 0000	2
000000000000	9
SNMP	0
00000	0
0000	0
0000	0
0000	00000000
00	0000
0000000000	43

00

前面板宽度	482.6 mm (19 inch)
前面板高度	1
前面板深度	2
前面板重量	0.5 kg LED 灯 0.1 kg 0.1 kg
前面板接口	HTTP、HTTPS、SSL、Telnet、 FTP、SNMP、SMTP、DNS、 DHCP、LDAP、RADIUS

前面板:
前面板:
前面板:
前面板: